

SiwoPUD[®]-FB-10

Characteristics: Hydrophilic blocked aliphatic polyisocyanate.

Supplied as: 85%

Physical characteristics:	Appearance	Colorless-light yellowish transparent
	Non-volatile constituent (%)	85±2
	Ionicity	Non-ionic
	Blocked NCO content (%)	11.0±1
	Viscosity (mPa·s)	5000-15000
	Deblocking Temperature(°C)	140

Storage: The crosslinker should be stored in tightly sealed containers, protected against frost and away from direct sunlight.

Application: Nonionic waterborne blocked polyisocyanate, good water solubility, 85% polyurethane solid, the remaining 15% organic solvent. It is mainly used in water-based coatings and adhesives with high-temperature baking conditions, etc.

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication. Nothing herein is to be construed as a warranty, express or otherwise. In all cases, it is the responsibility of the users to determine the applicability of such information or suitability of any products for their own purposes. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such is free of patent infringement and are not recommendations to infringe on any patent.